				Recruited				
SITE#	SITE NAME	CITY	STATE	to Date	TAR	GENDER	<u>BMI</u>	AGE
01	Covance CRU	Madison	WI	107	Off Target	On Target	Off Target	Off Target
02	University of Ne	t Omaha	NE	0				
03	nTouch	Raleigh	NC	18	On Target	On Target	Off Target	On Target
04	Radiant	Overland F	KS	74	Off Target	On Target	Off Target	On Target
05	Radiant	Anderson	SC	46	Off Target	On Target	Off Target	On Target
06	Radiant	Lawrencev	NJ	64	Off Target	Off Target	Off Target	On Target
07	Discovery Allian	c Charleston	SC	15	Off Target	On Target	Off Target	On Target
08	Radiant	Birminghai	·AL	25	Off Target	On Target	Off Target	On Target
09	Discovery Allian	c Mobile	AL	45	Off Target	Off Target	Off Target	On Target
10	Radiant	Boise	ID	36		On Target		
11	Americas Doctor	r Medford	OR	0		Ū	•	_
12	Radiant	Portland	OR	32	On Target	On Target	Off Target	On Target
13	Americas Doctor	r Tacoma	WA	0	J	J	Ü	ŭ
14	Americas Docto	r Spokane	WA	0				
15	Radiant	Santa Ros		0				
16	Protocare	San Diego		0				
17	nTouch	Oklahoma		0				
18	Montana Health		MT	0				
19	NW Physician's		MT	0				
20	Protocare	Las Vegas	NV	0				
21	Radiant	SLC	UT	0				
22	Americas Doctor	r San Anton	ìΤΧ	0				
23	Radiant	Dallas	TX	23	On Target	On Target	Off Target	On Target
24	Radiant	Atlanta	GA	18	On Target	Off Target	Off Target	On Target
25	Radiant	St. Louis	МО	0	· ·	_	Ū	•
26	Radiant	Cincinnati	OH	Q				
27	University of Ter	n Knoxville	TN	0				
28	Androscoggin Ca		ME	0				
29	Buffalo Cadiolog		INY	0				
30	Altoona Center	-		3	On Target	On Target	On Target	On Target
31	West Pharmace	. Evansville	IN	0	•	_	· ·	_
32	Radiant	Gainsville	FL	48	Off Target	On Target	Off Target	On Target
33	Radiant	Stuart	FL	0	_	_	_	-
34	MDS	Phoenix	AZ	0				
35	Radiant	Edina	MN	77	Off Target	On Target	Off Target	On Target
36	Alpine Clinical R	Boulder	CO	0	-	_	-	-
37	Americas Doctor		MS	0				
38	PRACS	Fargo	ND	0				
39	Americas Doctor		MA	0				
40	Virginia Commo		VA	0				
41	Lousiana State l			0				

RATIFICATION RESULTS FOR EACH SITE 11/6/2002

Comment on Off Target Variables

Lower proportion in lowest 2 tar groups; Lower in LT normal BMI; higher numbers in 21-34 group

Lower proportion in LT normal BMI group

Lower in lowest 2 tar groups; Slightly lower than expected in LT normal BMI group;

Lower in lowest 2 groups and in highest tar groups; Lower in LT normal BMI group

Lower in lowest 2 tar groups; Lower proportion of females

Lower in all tar groups than expected; Slightly lower proportion in LT normal BMI group

Lower proportion in lowest 2 tar groups and in no smoking groups; Lower proportion in LT normal BMI Lower proportion in 2 lowest tar groups and in highest tar group; Lower proportion of males; Lower proportion in 2 lowest tar groups; lower proportion in LT normal BMI group; Lower proportion in 5

Lower proportion in LT normal BMI group

Higher proportionin Normal + BMI group

Lower proportion of females; Lower proportion in LT normal BMI group

Lower proportion in the 2 lower tar groups and in the no smoking group; Lower proportion in LT normal

Lower proportion in the 2 lower tar groups and in the no smoking group; Lower proprtionin 21-34 age gr

PM3006359666

group portion in LT normal BMI group 50+ age group

group

roup
